

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE K		PAGE OF PAGES 1 4			
2. AMENDMENT/MODIFICATION NO. 0004		3. EFFECTIVE DATE See Block 16C		4. REQUISITION/PURCHASE REQ. NO. SC0600-01-0325, Amd. 001, 0002 SC0600-01-0326, Amd 001 SC0600-01-0327, Amd 002		5. PROJECT NO. (If applicable)		
6. ISSUED BY DEFENSE ENERGY SUPPORT CENTER 8725 JOHN J. KINGMAN RD SUITE 4950 FT BELVOIR VA 22060-6222 BUYER/SYMBOL - Roger Wilson / DESC-BZD PHONE - (703) 767-9310			CODE SCO600 FAX 703-767-9044 P.P. 1.1b, 1.1d, 1.1i		7. ADMINISTERED BY (If other than Item 6) CODE SCO600			
8. NAME AND ADDRESS OF CONTRACTOR (NO., street, city, county, State, and ZIP Code)					X		9a. AMENDMENT OF SOLICITATION NO. SP0600-01-R-0033	
							9b. DATED (SEE ITEM 11) 19 January 2001	
							10a. MODIFICATION OF CONTRACT/ORDER NO.	
							10b. DATED (SEE ITEM 13)	
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS								
<p>[x] The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers [] is extended, [X] is not extended</p> <p>Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers.</p> <p>FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.</p>								
12. ACCOUNTING AND APPROPRIATION DATA (If required)								
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.								
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.								
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b)								
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:								
D. OTHER (Specify type of modification and authority)								
E. IMPORTANT: Contractor [] is not, [] is required to sign this document and return _____ copies to the issuing office.								
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)								
SEE NEXT PAGE								
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remain unchanged and in full force and effect.								
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME OF CONTRACTING OFFICER JOY E. MULLORI				
15B. NAME OF CONTRACTOR/OFFEROR BY _____ (Signature of person authorized to sign)		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA BY _____ (Signature of Contracting Officer)		16C. DATE SIGNED		

1. The following correction is made to Amendment 0003:

- a. Reference Product (Location) for **F76** per the REFERENCE PRICE TABULATION (in Clause B19.34, Paragraph (f)) is corrected to indicate **Gasoil 0.2 (100% FOB MED Basis Italy)**.
- b. Corrected Table is shown on page 3 of this amendment.

2. The following change is made to the Addendum Package, Section C:

Clause C16.18-21 GASOLINE, AUTOMOTIVE (UNLEADED) (MIDGRADE) (ICELAND) (DESC **FEB 2001**) is hereby deleted and replaced by C16.18-21 GASOLINE, AUTOMOTIVE (UNLEADED) (MIDGRADE) (ICELAND) (DESC **APR 2001**) which appears on **page 4** of this amendment.

(f) **TABLE.**

REFERENCE PRICE TABULATION				
ITEM NO. (LISTED ITEMS)	NAME OF PUBLICATION	HEADING UNDER WHICH REFERENCE PRICE IS PUBLISHED AND NAME OF PRODUCT	LOCATION WHERE REFERENCE PRICE IS APPLICABLE	REFERENCE PRICE AS OF DECEMBER 12, 2000 (EXCLUDES ALL TAXES)
See Below	Platt's Oilgram Price Report (U.S. Edition)	Product Price Assessments (European Bulk)	See Below	Compute the average low/high prices from Platt's, using the ten effective days' prices preceding the date of lift.

PRODUCT	REFERENCE PRODUCT (LOCATION)	REFERENCE PRICE/USG EFFECTIVE DECEMBER 12, 2000
JP5	Jet Kerosene (100% Cargoes CIF NWE Basis ARA)	\$1.007512
JP8	Jet Kerosene (100% Cargoes CIF NWE Basis ARA)	\$0.990272
JP8	Jet Kerosene* (100% FOB Med Basis Italy)	\$0.880732
F76	Gasoil 0.2 (100% FOB MED Basis Italy)	\$0.909733
MUI	Regular Unleaded (100% Cargoes FOB NWE.)	\$0.686371

* Offered prices which are submitted based on the newly added escalator, Jet Kerosene, FOB Med Basis Italy, will be subject to a positive adjustment factor of \$0.030508 USD/USG for evaluation purposes only.

C16.18-21 GASOLINE, AUTOMOTIVE (UNLEADED) (MIDGRADE) (ICELAND) (DESC APR 2001)

Product shall conform to EN 228:1999 with the following additional requirements:

(a) **OCTANE REQUIREMENT.** The Government's octane requirement is expressed by the Antiknock Index (AKI). The AKI is the average of the research octane number (RON) and the motor octane number (MON). The minimum AKI values are identified in (b) below.

(b) **PRODUCT CLASSIFICATION.** The product shall be classified as described below:

<u>NATIONAL STOCK NUMBER</u>	<u>PRODUCT NOMENCLATURE</u>	<u>AKI, MINIMUM</u>
9130-01-461-2355	Gasoline, Midgrade Unleaded	89

(c) **VOLATILITY CLASS.** The volatility class for Iceland shall be class F (winter) (October 1 – April 30); class F1 (intermediate) (May 1 – May 31); class B (summer) (June 1 – August 31); class F1 (intermediate) (September 1 – September 30)..

(d) **ADDITIVES.** Additives and additive concentration shall be as specified below. Application for approval of additives not listed below should be made to DESC-BP.

(1) **OXIDATION INHIBITORS.** The gasoline shall contain not less than five pounds nor more than 15 pounds of oxidation inhibitor (active ingredient) per 1,000 barrels of gasoline. Any one of a combination of the following oxidation inhibitors may be used:

- (i) N,N' disecndary butyl-para-phenylenediamine
- (ii) N,N' di-isopropyl-paraphenylenediamine
- (iii) N,N' dioctyl-para-phenylenediamine
- (iv) N,N' -bis-(1,4-dimethylpentyl)-para-phenylenediamine
- (v) N,N' disecndary butyl-ortho-phenylenediamine
- (vi) 2,6-ditertiary-butyl phenol
- (vii) 2,6-ditertiary-butyl-4-methylphenol
- (viii) 2,4-dimethyl-6-tertiary butylphenol
- (ix) Triethylene tetramine di(monononyphenolate)
- (x) Mixed tertiary butylphenols
- (xi) N, secondary butyl, N, pheny-ortho-phenylenediamine
- (xii) Mixed 2,6-dialkyl and 2,4,6-trialkyl phenols (containing mixed hexyl and heptyl groups)
- (xiii) 2,4-ditertiary-butylphenol (60 weight percent minimum) and mixed tertiary butylphenols (40 weight percent maximum)
- (xiv) 2,4-ditertiary-butylphenol (containing mono tritertiary butylphenol)
- (xv) Butylated ethyl phenols (55 weight percent minimum) and butylated methyl and dimethyl phenols (45 weight percent

maximum)

(2) **METAL DEACTIVATORS.** The gasoline shall contain not less than one pound nor more than three pounds of an approved metal deactivator (active ingredient) per 1,000 barrels of gasoline. Any one of the following metal deactivators may be added separately or in combination with an approved oxidation inhibitor:

- (i) N,N' disalicylidene -1,2-ethanediamine
- (ii) N,N' disalicylidene -1,2-propanediamine
- (iii) N,N' disalicylidene -1,2-cyclohexanediamine
- (iv) Disalicylidene-N-methyl-dipropylene-triamine

(3) **CORROSION INHIBITOR.** An approved corrosion inhibitor may be added. Any corrosion inhibitor used shall be a category 1 product that is qualified under MIL-I-25017. The quantity added shall not exceed the maximum approved in the qualified products list (QPL-25017).

(DESC 52.246-9FWH)